

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	((("5809458") or ("5495547") or ("5467018") or ("2729784"))).PN.	USPAT	OR	OFF	2005/04/02 16:02
L2	1	("5543715").PN.	USPAT	OR	OFF	2005/04/02 13:08
L3	201363	(wellbore or borehole) with circuit with twenty with four with bit with resolution with analog with digital with converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:45
L4	20964	3 and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:10
L5	11	4 and (324/358.ccls. or 324/368.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:10
L6	0	((wellbore or borehole) with circuit with twenty with four with bit with resolution with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:58
L7	0	((wellbore or borehole) with circuit with bit with resolution with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:41
L8	0	((wellbore or borehole) with circuit with resolution with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:41
L9	1	((wellbore or borehole) with circuit with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:42
L10	7254	(circuit with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:42

L11	5	((wellbore or borehole) with analog with digital with converter) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:42
L12	0	(wellbore or borehole) with circuit with twenty with four with bit with resolution with analog with digital with converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:45
L13	0	(wellbore or borehole) with circuit with twenty with four with bit with analog with digital with converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:45
L14	0	(wellbore or borehole) with circuit with twenty with four with bit with analog with digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:45
L15	0	(wellbore or borehole) with twenty with four with bit with analog with digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:46
L16	0	(wellbore or borehole) same twenty same four same bit same analog same digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:46
L17	0	(wellbore or borehole) same twenty same bit same analog same digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:46
L18	93	(wellbore or borehole) same bit same analog same digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 13:46
L19	5	twenty with four with bit with resolution with analog with digital with converter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:07

L20	5	twenty with four with bit with resolution with analog with digital	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:07
L21	67	twenty with four with bit with resolution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:15
L22	2	current with electrode with digital\$2 with synthesi\$3 with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:17
L23	9	current with electrode with digital\$2 with synthesi\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:18
L24	9	digital\$2 with synthesi\$3 with current with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:32
L25	1305	digital\$2 with current with electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:19
L26	37	25 and (borehole or wellbore)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:24
L27	31	25 and (current with switch\$2 with dc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:27
L28	0	26 and 27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:25

L29	0	(current near4 electrode) with switch\$2 with (ac or dc) with current and (wellbore or borehole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:30
L30	0	(current near4 electrode) with switch\$2 with (ac or dc) with current and (formation with resistivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:29
L31	486	(current near4 electrode) with switch\$2 with (ac or dc) with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:29
L32	0	31 and 324/358.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:29
L33	0	31 and 324/368.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:29
L34	23	31 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:29
L35	1206	(current near4 electrode) with current and (wellbore or borehole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:31
L36	1206	(current near4 electrode) with current and (wellbore or borehole) and electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:31
L37	162	(current near4 electrode) with (direct or dc) with current and (wellbore or borehole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:48

L38	2270	focus\$3 with current with source	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:49
L39	242	38 and (voltage near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:50
L40	73	38 and (reference near3 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:49
L41	242	39 and (voltage near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:50
L42	25	40 and (voltage near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 14:50
L43	31	(reference adj potential adj electrode) and (measur\$3 adj electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:18
L44	4	(324/347).CCLS.	US-PGPUB	OR	OFF	2005/04/02 16:19
L45	1	(324/358).CCLS.	US-PGPUB	OR	OFF	2005/04/02 16:19
L46	4	(324/368).CCLS.	US-PGPUB	OR	OFF	2005/04/02 16:19
L47	35	digital\$2 near2 synthesi\$3 near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:35
L48	12428	digital\$2 near2 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:36

L49	359	48 and (current near2 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:38
L50	2614	current with adc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 17:15
L51	88	50 and (current near2 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 16:38
L52	41797	current with switch\$2 with (dc or direct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 17:16
L53	215	52 and electrode and formation and resistivity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/02 17:16